	Hits	Search Text	DBs
	100	(375/326, 375/324, 375/316,	US-PGPUB;
1		375/325, 375/340, 375/344,	USPAT; EPO; JPO;
•		375/358).ccls. and frequenc\$5	DERWENT;
		near2 search\$5	IBM_TDB
	81	(375/326, 375/324, 375/316,	LIC DODLID
		375/325, 375/340, 375/344,	US-PGPUB;
2		375/358).ccls. and frequenc\$5	USPAT; EPO; JPO;
		near2 search\$5 and	DERWENT;
		@ad<"20010801"	IBM_TDB
E		(375/326, 375/324, 375/316,	
	79	375/325, 375/340, 375/344,	US-PGPUB;
3		375/358).ccls. and (frequenc\$5	USPAT; EPO; JPO;
_	1 3	near2 search\$5) and (referenc\$5	DERWENT;
		or lo or (local adj os\$2c\$10)) and	IBM_TDB
		@ad<"20010801"	
:	31	(375/326, 375/324, 375/316,	
		375/325, 375/340, 375/344,	US-PGPUB;
		375/358).ccls. and (frequenc\$5	USPAT; EPO; JPO; DERWENT;
4		near2 search\$5) and (referenc\$5	
		or lo or (local adj os\$2c\$10)) and	IBM_TDB
		(freq\$10 with power) and	
		@ad<"20010801"	
	14	(375/326, 375/324, 375/316,	
		375/325, 375/340, 375/344,	HICDAT: EDA: IDA:
		375/358).ccls. and (frequenc\$5	
		near2 search\$5) and ((referenc\$5	
5		or lo or (local adj os\$2c\$10)) with	
		(chang\$5 or delta or adapt\$5 or	
		modif\$5 or adjust\$5)) and	
		(freq\$10 with power) and	
1		@ad<"20010801"	

	Hits	Search Text	DBs
6	5	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358).ccls. and (frequenc\$5 near2 search\$5) and ((referenc\$5 or lo or (local adj os\$2c\$10)) with (chang\$5 or delta or adapt\$5 or modif\$5 or adjust\$5)) and (memor\$5 near2 frequenc\$5) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	14		1
8	2	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358).ccls. and (frequenc\$5 near2 search\$5) and ((referenc\$5 or lo or (local adj os\$2c\$10)) with (chang\$5 or delta or adapt\$5 or modif\$5 or adjust\$5)) and (((memor\$5 or stor\$5 or sav\$5 or record\$5) near2 frequenc\$5) with rom) and @ad<"20010801"	1

	Hits	Search Text	DBs
9	0	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358).ccls. and (frequenc\$5 near2 search\$5) and ((referenc\$5 or lo or (local adj os\$2c\$10)) with (chang\$5 or delta or adapt\$5 or modif\$5 or adjust\$5)) and (((power adj down) near2 frequenc\$5)) and @ad<"20010801"	1
10	5	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358).ccls. and ((frequenc\$5 near2 search\$5) with pilot) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358).ccls. and (frequenc\$5 near2 search\$5) and (demod\$10 with code with sequenc\$5 with tim\$5) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358).ccls. and (frequenc\$5 near2 search\$5) and (demod\$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	5	(frequenc\$5 near2 search\$5) and (demod\$10 with cod\$5 with sequenc\$5 with tim\$5) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	(frequenc\$5 near2 search\$5) and demod\$10 and (cod\$5 with sequenc\$5 with tim\$5) and (unlock\$5 adj tim\$5) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	0	(frequenc\$5 near2 search\$5) and demod\$10 and (cod\$5 with sequenc\$5 with tim\$5) and (unlock\$5 adj (clock\$5 or clk\$2 or tim\$5)) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358, 375/145, 375/149).ccls. and (frequenc\$5 near2 search\$5) and (demod\$10 with cod\$5 with sequenc\$5 with tim\$5) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	0	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358, 375/145, 375/149).ccls. and (frequenc\$5 near2 search\$5) and (demod\$10 with cod\$5 with sequenc\$5 with tim\$5) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	40	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358, 375/145, 375/149).ccls. and (frequenc\$5 near2 search\$5) and (referenc\$5 or lo or (local adjos\$2c\$10)) and (freq\$10 with power) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	31	(375/326, 375/324, 375/316, 375/325, 375/340, 375/344, 375/358).ccls. and (frequenc\$5 near2 search\$5) and (referenc\$5 or lo or (local adj os\$2c\$10)) and (freq\$10 with power) and @ad<"20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	9	S18 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
	65	(375/326, 375/324, 375/316,	
		375/325, 375/340, 375/344,	
		375/358, 375/145, 375/149,	US-PGPUB;
		375/141, 375/140, 375/130,	USPAT; EPO; JPO;
21		375/147).ccls. and (frequenc\$5	DERWENT;
		near2 search\$5) and (referenc\$5	IBM TDB
		or lo or (local adj os\$2c\$10)) and	10.11.21.2
		(freq\$10 with power) and	
		@ad<"20010801"	•
		(375/326, 375/324, 375/316,	
		375/325, 375/340, 375/344,	
		375/358, 375/145, 375/149,	
		375/141, 375/140, 375/130,	US-PGPUB;
22	4	375/147).ccls. and (frequenc\$5	USPAT; EPO; JPO; DERWENT;
		near2 search\$5) and (referenc\$5	
		or lo or (local adj os\$2c\$10)) and	IBM_TDB
		(freq\$10 with (last\$7 or latest\$7)	
		with (power\$7 or energ\$7 or off	
<u></u> .		or down\$7)) and @ad<"20010801"	,
	2	(375/326, 375/324, 375/316,	
		375/325, 375/340, 375/344,	
		375/358, 375/145, 375/149,	
		375/141, 375/140, 375/130,	US-PGPUB;
23		375/147).ccls. and (demodula\$7	USPAT; EPO; JPO;
23		with feed\$1back\$7 with clock\$7)	1
		and correla\$7 and ((lock\$7 or	IBM_TDB
		stop\$7 or unlock\$7 or releas\$7)	
		with (tim\$4 or clock\$7)) and	
		@ad<"20010801"	

	Hits	Search Text	DBs
		(375/326, 375/324, 375/316, 375/325, 375/340, 375/344,	
		375/358, 375/145, 375/149,	
		375/141, 375/140, 375/130,	US-PGPUB;
24	2	375/147).ccls. and (demodula\$7	USPAT; EPO; JPO;
		with feed\$1back\$7 with clock\$7)	· ·
		and correla\$7 and ((lock\$7 or	IBM_TDB
		stop\$7 or unlock\$7 or releas\$7)	
		with (tim\$4 or clock\$7 or	
		length\$7)) and @ad<"20010801"	
		(375/326, 375/324, 375/316,	
		375/325, 375/340, 375/344,	
		375/358, 375/145, 375/149,	
		375/141, 375/140, 375/130,	US-PGPUB;
25	2	375/147).ccls. and (demodula\$7	USPAT; EPO; JPO;
		with feed\$1back\$7 with clock\$7) and correla\$7 and ((lock\$7 or	•
		stop\$7 or unlock\$7 or releas\$7)	IBM_TDB
		with frequenc\$7) and	
		@ad<"20010801"	
_	<u> </u>	(demodula\$7 with feed\$1back\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT;
	5	with clock\$7) and correla\$7 and	
26		((lock\$7 or stop\$7 or unlock\$7 or	
		releas\$7) with frequenc\$7) and	
		@ad<"20010801"	IBM_TDB
		((lock\$7 or stop\$7 or unlock\$7 or	US-PGPUB;
27	630091	releas\$7) with (length\$7 or	USPAT; EPO; JPO;
	030031	period\$7 or clock\$7 or tim\$4))	DERWENT;
		and @ad<"20010801"	IBM_TDB
	10	(demodula\$7 with feed\$1back\$7	
		with clock\$7) and correla\$7 and	US-PGPUB;
28			1 '1
		releas\$7) with (length\$7 or	DERWENT;
		period\$7 or clock\$7 or tim\$4))	IBM_TDB
		and @ad<"20010801"	